SUBJECT AND AUTHOR INDEX FOR VOLUME 17, 1985

A:B ratio, 189-198

Alaska: Pingos in Prudhoe Bay area, 321-336; Populus balsamifera, 271-278; Soil temperature model, 425-432; Tundra plants, 199-204; Tussocks, 1-5, 7-17

Air avalanching, 125-134

Air pollution: Effect in lichenometry, 99-106

Alberta: Geomorphology, 205-210; Paleoenvironment, 49-67Alpine: Plants, 251-260; Treeline, 389-400; Turf-banked terraces, 261-270; Tundra surfaces, 433-442, 443-450

Andes: Vegetation, 189-198

Antarctic: Plants, 401-416

Arctic: Glacier ice, 89-98; Glaciation level, 311-319; Pingos, 321-336; Plant growth, 241-250; Pollen deposition, 279-287; Prehistory, 357-370; Soil temperature, 425-432; Vegetation change, 357-387

Ayers, M. P. See MacLean, S. F., Jr. and Ayers, M. P.

 Beget, J. E. (Tephrochronology of antislope scarps on an alpine ridge near Glacier Peak, Washington, U.S.A.), 143-152
 Belowground phytomass, 189-198

Betula glandulosa, 279-287

Book Reviews

The Antarctic Circumpolar Ocean. G. Deacon, 472
Antarctic Earth Science: Fourth International Symposium.
R. L. Oliver et al. L. Osterman, 115-116

The Archaeology of Colorado. E. S. Cassells. T. Lennon, 117
The Arctic and the Rockies as Seen by a Botanist: Pictorial.
I.-C. Chung. W. A. Weber, 220

Arctic Whaling. H. K. s'Jacob et al., 472

An Arctic Whaling Diary: The Journal of Captain George Comer. W. G. Ross. I. Whitaker, 472

Australia's Antarctic Policy Options. S. Harris, 222
Catchment Experiments in Fluvial Geomorphology. T. P.
Burt and D. E. Walling. E. D. Andrews, 349

The Climate of Europe: Past, Present and Future. H. Flohn and R. Fantechi. R. G. Barry, 469-470

Climatic Changes on a Yearly to Millennial Basis. N.-A. Mörner and W. Karlén. R. S. Bradley, 468-469

Contributions to the Tectonics and Geophysics of Mountain Chains. R. D. Hatcher, Jr. et al. J. T. Andrews, 119

Destructive Mass Movements in High Mountains. G. H. Eisbacher and J. J. Clague. M. J. Bovis, 470

Dr. John Rae. R. L. Richards. A. G. E. Jones, 471-472 Drumlins: A Bibliography. J. Menzies, 222

Erosion and Sediment Yield: Some Methods of Measurement and Modelling. R. F. Hadley and D. E. Walling. S. Morris, 117-118

Field and Theory: Lectures in Geocryology. M. Church and O. Slaymaker. N. Caine, 471

From Grassland to Glacier: The Natural History of Colorado. C. F. Mutel and J. C. Emerick. D. J. Cooper, 116

Glacial Lake Agassiz. J. T. Teller and L. Clayton. J. T. Andrews, 114-115

The Glaciers of Equatorial East Africa. S. Hastenrath. W. C. Mahaney, 221

Glossary of Landscape and Vegetation Ecology. H. W. Gabriel and S. S. Talbot, 222

Ice Sheets of the Continental Shelves, M. G. Grosval'd. J. T. Andrews, 217-219

The International Karakoram Project. K. J. Miller. J. T. Andrews. 217

Late Quaternary Environments of the Soviet Union. A. A. Velichko. J. T. Andrews, 347

Mesoformen des Reliefs im heutigen Periglazialraum. H. Poser and E. Schunke, 119

Mountain Ecosystems: Stability and Instability. B. Messerli and J. D. Ives. C. V. Cogbill, 351-352

Past and Present Vegetation of the Far Northwest of Canada. J. C. Ritchie. D. A. Walker, 349-350

Permafrost: Fourth International Conference Final Proceedings, 472

A Phytogeographical Study of South Greenland: Vascular Plants. J. Feilberg, 222

The Pleistocene: Geology and Life in the Quaternary Ice Age. T. Nilsson. W. R. Farrand, 348

Proceedings of the First International Muskox Symposium. D. R. Klein et al., 222

Quaternary Paleoclimatology: Methods of Paleoclimatic Reconstruction. R. S. Bradley. T. Webb III, 467-468

Rastitelnost Poliarnykh Pustyn SSSR [Vegetation of Polar Deserts of the USSR]. V. D. Aleksandrova. J. Major, 350-351

Resources and Dynamics of the Boreal Zone. R. W. Wein et al. G. P. Kershaw, 219

Rocky Mountain National Park. C. W. Buchholtz, 119 Soils and Geomorphology. P. W. Birkeland. E. Maltby, 113-114

Bliss, L. C. See Grulke, N. E. and Bliss, L. C. Brazel, A. J. See Nickling, W. G. and Brazel, A. J.

Caine, N. See Reddy, M. M., et al.

Canada: Baffin Island, tundra, 279-287; Labrador prehistory, 357-370; High arctic saxifrages, 241-250; Rocky Mountains, geomorphology, 205-210; Victoria Island, relic glacier ice, 89-98. See also provinces.

Chapin, F. S., III. See Mark, A. F., et al.

Clapperton, C. M. and McEwan, C. (Late Quaternary moraines in the Chimborazo area, Ecuador), 135-142 Clay minerals, 153-163

Climate: Effect on soil temperature, 425-432; Greenland, 311-319

Colobanthus quitensis, 401-416

Colorado: Alpine tundra surfaces, 433-442, 443-450; Geomorphic studies, 179-188; Neoglaciation, 69-78; Paleoenvironment, 31-48; Patterned ground, 153-163; Precipitation chemistry, 79-88; Rock glacier fabric, 165-177; Treeline regeneration, 389-400

Critical reviewers, list, 120

Culture change, Labrador, 357-370

Daly, C. and Shankman, D. (Seedling establishment by conifers above tree limit on Niwot Ridge, Front Range, Colorado, U.S.A.), 389-400

Darmody, R. G. See Thorn, C. E. and Darmody, R. G.

Dating methods: Tephrochronology, 143-152

Demeur, P. See Lorrain, R. D. and Demeur, P.

Dendrochronology, 271-278

Deschampsia antarctica, 401-416

Disturbance, 199-204

Dowdeswell, E. K. See Jacobs, J. D., et al.

Dryas octopetala, 229-239

Dunwiddie, P. W. see Edwards, M. E. and Dunwiddie, P. W.

Ecology: Antarctic plants, 401-416; Arctic saxifrages, 241-250; Dryas octopetala, 229-239; Ecotypes, 229-239; Lichen, 417424; Páramo vegetation, 189-198; Treeline dynamics, 389-400; Tussock tundra, 1-5, 7-17

Ecuador: Quaternary moraines, 135-142

Edwards, M. E. and Dunwiddie, P. W. (Dendrochronological and palynological observations on Populus balsamifera in northern Alaska, U.S.A.), 271-278

Eigenvalue analysis: Rock glacier fabric, 165-177

Elias, S. A. (Paleoenvironmental interpretations of Holocene insect fossil assemblages from four high-altitude sites in the Front Range, Colorado, U.S.A.), 31-48

Eolian influx, 433-442

Eolian lag surfaces, 443-450

Eriophorum vaginatum, 1-5, 7-17

Everett, K. R. See Walker, D. A., et al.

Falkland Islands, 107-111

Fetcher, N. (Effects of removal of neighboring species on growth, nutrients, and microclimate of Eriophorum vaginatum), 7-17; See also Mark, A. F., et al.

Field manipulations, 229-239

Fitzhugh, W. W. and Lamb, H. F. (Vegetation history and culture change in Labrador prehistory), 357-370

Flora: Teton Range, 19-30

Floristic analysis, 19-30, 251-260 Frank, T. D. and Thorn, C. E. (Stratifying alpine tundra for geomorphic studies using digitized aerial imagery), 179-188 Freeze-thaw, 337-346

Frost shattering, 337-346

Fox, J. F. (Plant diversity in relation to plant production and disturbance by voles in Alaskan tundra communities), 199-

Gardner, J. S. See Smith, D. J. and Gardner, J. S. Giardino, J. R. and Vitek, J. D. (A statistical interpretation

of the fabric of a rock glacier), 165-177

Geomorphology: Alpine, 143-152, 179-188; Glacial, 289-310; Pingo, 321-336; Rock glacier, 165-177; Sediment transport, 205-210; Turf-banked terraces, 261-270

Glacial geomorphology: Ungava, 289-310

Glacial streams, 451-466

Glaciation level: Greenland, 311-319

Glacio-isostatic warping, 289-310

Grain-size: Distribution, 433-442; Sampling, 443-450

Gray, J. T. and Lauriol, B. (Dynamics of the late Wisconsin ice sheet in the Ungava Peninsula, interpreted from geomorphological evidence), 289-310

Greenland: Glaciation level, 311-319

Ground squirrels: Burrowing effects, 205-210

Grulke, N. E. and Bliss, L. C. (Growth forms, carbon allocation, and reproductive patterns of high arctic saxifrages), 241-250

Haines-Young, R. H. (Discussion of "Size variation of Rhizocarpon on moraine slopes in southern Norway": A reply), 212-216

Hansen-Bristow, K. J. and Price, L. W. (Turf-banked terraces in the Olympic mountains, Washington, U.S.A.), 251-260 Harris, S. A. (Evidence for the nature of early Holocene cli-

mate and paleogeography, High Plains, Alberta, Canada), 46-67

History: Dutch whaling, 371-387

Holocene: Insect fossils, 31-48; Paleoclimate, 49-67, 69-78 Hydrology: Channel adjustment, 451-466

Humlum, O. (The glaciation level of West Greenland), 311-319

Ice: Origin of ground ice, 89-98; Soluble isotopes, 89-98; Stagnation, 49-67

Ice-cemented rock glacier, 165-177

Ice-load transport, 451-466

Innes, J. L. (An examination of some factors affecting the largest lichens on a substrate), 98-106; (Moisture availability and lichen growth: The effects of snow cover and streams on lichenometric measurements), 417-424

Insect fossils, 31-48

Jackson, L. E. (Floristic analysis of the distribution of ephemeral plants in treeline areas of the western United States), 251-260

Jacobs, J. D., Mode, W. N., and Dowdeswell, E. K. (Contemporary pollen deposition and the distribution of Betula glandulosa at the limit of low arctic tundra in southern Baffin Island, N.W.T., Canada), 279-287

Jelinski, J. C. See Reddy, M. M., et al.

Klinger, L. F. See Smith, J. M. B. and Klinger, L. F.

Komárková, V., Poncet, S., and Poncet, J. (Two native antarctic vascular plants, Deschampsia antarctica and Colobanthus quitensis: A new southernmost locality and other localities in the Antarctic Peninsula area), 401-416

Knighton, A. D. (Channel form adjustment in supraglacial streams, Austre Okstindbreen, Norway), 451-466

Krummholz, 389-400

Labrador prehistory, 357-370

Lamb, H. F. See Fitzhugh, W. W. and Lamb, H. F.

Late Wisconsin ice sheet, 289-310

Laurentide Ice Sheet, 289-310

Lauriol, B. See Gray, J. T. and Lauriol, B.

Lichenometry: Techniques, 99-106, 211-216, 417-424

Liebermann, T. D. See Reddy, M. M., et al.

Lorrain, R. D. and Demeur, P. (Isotopic evidence for relic Pleistocene glacier ice on Victoria Island, Canadian Arctic Archipelago), 89-98

MacLean, S. F., Jr. and Ayers, M. P. (Estimation of soil temperature from climatic variables at Barrow, Alaska, U.S.A.),

Mahaney, W. C. and Spence, J. R. (Discussion of "Size Variation of Rhizocarpon on moraine slopes in southern Norway" by R. H. Haines-Young), 211-212

Marine limits: Ungava, 289-310

Mark, A. F., Fetcher, N., Shaver, G. R., and Chapin, F. S., III (Estimated ages of mature tussocks of Eriophorum vaginatum along a latitudinal gradient in central Alaska, U.S.A.), 1-5 Mass wasting, 143-152

McEwan, C. See Clapperton, C. M. and McEwan, C.

McGraw, J. B. (Experimental ecology of Dryas octopetala ecotypes. III. Environmental factors and plant growth), 229-239

McGreevy, J. P. and Whalley, W. B. (Rock moisture content and frost weathering under natural and experimental conditions: A comparative discussion), 337-346

Meteorology: Surface winds, 125-134 Microclimate: Tussock tundra, 7-17

Mode, W. N. See Jacobs, J. D., et al.

Moraines: Ecuador, 135-142; Ungava, 289-310

Neoglacial facies, 69-78

Neoglacial succession: Teton Range, 19-30

Nickling, W. G. and Brazel, A. J. (Surface wind characteristics along the Icefield Ranges, Yukon Territory, Canada), 125-134 Norway: Lichen ecology, 417-424; Lichenometry, 211-216; Supraglacial streams, 451-466 Nutrient availability, 229-239

Nutrients in tundra tussocks, 7-17

Olyphant, G. A. (Topoclimate and the distribution of Neoglacial facies in the Indian Peaks section of the Front Range, Colorado, U.S.A.), 69-78

Paleoenvironment: Alaska, 271-278; Baffin Island, 279-287; Colorado, 31-48; High Plains, 49-67; Labrador, 357-370; Ungava, 289-310

Paleobotany: Spitsbergen, 371-387

Palynology: Alaska, 271-278; Baffin Island, 279-287; Labrador, 257-370; Spitsbergen, 371-387

Páramo vegetation, 189-198

Particle size: Patterned ground, 153-163

Patterned ground, 153-163

Penguins, 107-111

Pingos, 321-336

Plant communities: Turf-banked terraces, 261-270

Plant diversity, 199-204 Plant growth, 229-239, 241-250

Plant life forms, 251-260

Plants: Antarctic localities, 401-416

Pleistocene: Relic glacier ice, 89-98

Pollen: Betula glandulosa, 279-287; Populus balsamifera, 271-278

Poncet, J. See Komárková, V., et al.

Poncet, S. See Komárková, V., et al.

Populus balsamifera, 271-278

Prehistory: Labrador, 357-370

Price, L. W. See Hansen-Bristow, K. J. and Price, L. W.

Precipitation chemistry, 79-88

Precipitation pH, 78-88

Productivity, 199-204

Quaternary: Moraines in Ecuador, 135-142. See also Holocene and Pleistocene

Radiocarbon dates: Ecuador, 135-142; Spitsbergen, 371-387; Ungava, 289-310

Reddy, M. M., Liebermann, T. D., Jelinski, J. C., and Caine, N. (Variation in pH during summer storms near the Continental Divide in central Colorado, U.S.A.), 79-88

Remote sensing, 179-188

Rhizocarpon: Effect of moisture availability, 417-424; Size variation, 211-216

Rissing, J. M. and Thorn, C. E. (Particle size and clay mineral distributions within sorted and nonsorted circles and surrounding parent material, Niwot Ridge, Front Range, Colorado, U.S.A.), 153-163

Rock glacier fabric, 165-177

Rock striations: Falkland Islands, 107-111

Sackung, 143-152 Saxifrages, 241-250 Scotland: Lichenometry, 99-106 Seedling establishment: Treeline, 389-400 Shankman, D. See Daly, C. and Shankman, D. Shaver, G. R. See Mark, A. F., et al.

Smith, D. J. and Gardner, J. S. (Geomorphic effects of ground squirrels in the Mount Rae area, Canadian Rocky Mountains), 205-210

Smith, J. M. B. and Klinger, L. E. (Aboveground:belowground phytomass ratios in Venezuelan páramo vegetation and their significance), 189-198

Soil: Pingo, 321-336; Temperature, 425-432; Turf-banked terrace, 261-270

Spence, J. R. (A floristic analysis of Neoglacial deposits in the Teton Range, Wyoming, U.S.A.), 19-30

Spitsbergen: Paleoenvironment, 371-387

Splettstoesser, J. F. (Note on rock striations caused by penguin feet, Falkland Islands), 107-111 Subarctic: Prehistory, 357-370

Tephrochronology, 143-152

Thorn, C. E. and Darmody, R. G. (Grain-size distribution of the insoluble component of contemporary eolian deposits in the alpine zone, Front Range, Colorado), 433-442; (Grainsize sampling and characterization of eolian lag surfaces within alpine tundra, Niwot Ridge, Front Range, Colorado, U.S.A.), 443-450; See also Frank, T. D. and Thorn, C. E. and Rissing, J. M. and Thorn, C. E.

Timberline dynamics, 389-400

Topoclimate, 69-78

Treeline: Changes, 31-48; Floristic analysis, 251-260; Regeneration, 389-400

Tropicalpine vegetation, 189-198

Turf-banked terraces, 261-270

Tussocks, 1-5

Tundra: Low arctic, 279-287; Pingos, 321-336; Plant diversity and production, 199-204; Tussocks, 1-5, 7-17; Vegetation, 179-188

Ungava, 289-310

Van der Knaap, W. O. (Human influences on natural arctic vegetation in the 17th century and climatic change since A.D. 1600 in northwestern Spitsbergen: A paleobotanical study), 371-

Vegetation: Human influences on, 371-387; Páramo, 189-198; Pingo, 321-336; Tundra, 179-188, 199-204

Venezuela: Páramo vegetation, 189-198

Vitek, J. D. See Giardino, J. R. and Vitek, J. D.

Vole: Disturbance, 199-204

Walker, D. A., Walker, M. D., Everett, K. R., and Webber, P. J. (Pingos of the Prudhoe Bay area, Alaska, U.S.A.), 321-336

Walker, M. D. See Walker, D. A., et al.

Washington: Cascade Range antislope scarps, 142-152; Turfbanked terraces, 261-270

Weathering: Experiments, 337-346; Rock moisture content, 337-346

Webber, P. J. See Walker, D. A., et al.

Whaling: Spitsbergen, 371-387

Whalley, W. B. See McGreevy, J. P. and Whalley, W. B.

Winds: Katabatic, 125-134

Yukon: Winds along Icefield Ranges, 125-134